According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015
Date revised: 27.03.2015



## Badalac ABS/PA 320 TM-Z2

# 1. Identification of the substance/mixture and of the company

#### 1.1. Product identifier

## Badalac ABS/PA 320 TM-Z2

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Polymer

Recommended use: Polymer, for industrial processing only

## 1.3. Details of the supplier of the safety data sheet

Bada AG

E-Mail: info@bada.de

Untere Strut 1

D-77815 Bühl/Baden

Fon: +49 (0) 72 23-940 77-0 (Mo.-Fr. 08:30-16:30 Uhr)

Fax: +49 (0) 72 23-940 77-77

Web: www.bada.de

## 1.4. Emergency telephone number

Giftinformationszentrum-Nord - Tel.: +49 (0) 551-19240

## 2. Hazards Identification

#### 2.1. Classification of the substance or mixture

No need for classification according to GHS criteria for this product.

#### 2.2. Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

#### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

## 3. Composition/Information on Ingredients

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical nature

Preparation based on: Acrylnitrile-Butadiene-Styrene copolymer (CAS-No. 9003-56-9), Polyamide 6, compatibilizer, additives, optionally colourants

>ABS+PA<

## Hazardous ingredients:

none

Seite 1/8 Druckdatum: 24.02.2016

According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015 Date revised: 27.03.2015



## Badalac ABS/PA 320 TM-Z2

## 4. First-Aid Measures

## 4.1. Description of first aid measures

Avoid contact with the skin, eyes and clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

## On skin contact with polymer melt:

- a) Cool with water
- b) Do not use force or solvents to remove product incrustations from affected skin areas
- c) Medical treatment necessary

#### On contact with eyes:

If irritation develops, seek medical attention. In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.

#### On ingestion:

Rinse mouth and then drink plenty of water. If difficulties occur: Seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known. Hazards: No hazard is expected under intended use and appropriate handling

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically

## 5. Fire-Fighting Measures

#### 5.1. Extinguishing media

Water spray, foam, dry powder, CO<sub>2</sub>

## 5.2. Special hazards arising from the substance or mixture

Avoid thermal decomposition (decomposition temperature cf. section 9).

On thermal decomposition, caused by overheating during processing or in case of fire, hazardous gases and fumes may develop. Cf. "hazardous decomposition products".

#### Hazardous decomposition products:

Mainly carbon monoxide and nitrogen oxides.

Further hydrocarbons (aliphatic and aromatic), amines, nitriles, aldehydes, ketones, acids, ammonia, hydrogen cyanide, ε-Caprolactam.

Under special circumstances, traces of other toxic components cannot be excluded. Formation of other decomposition products depends on burning conditions.

## 5.3. Advice for fire-fighters

## Special protective equipment:

Wear a self-contained breathing apparatus, as toxic gases and carbon monoxide may be formed. Wear protective clothing and face protection.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Seite 2/8 Druckdatum: 24.02.2016

According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015 Date revised: 27.03.2015



## Badalac ABS/PA 320 TM-Z2

## 6. Accidental Release Measures

## 6.1. Personal precautions, protective equipment and emergency procedures

<u>Granules:</u> Special danger of slipping by leaking/spilling product. Take up mechanically Melt: Danger of exothermal decomposition. Cool down using water.

## 6.2. Environmental precautions

No special precautions necessary.

#### 6.3. Methods and material for containment and cleaning up

<u>For small amounts</u>: Pick up with suitable appliance and dispose of. <u>For large amounts</u>: Pick up with suitable appliance and dispose of.

## 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## 7. Handling and Storage

## 7.1. Precautions for safe handling

Take precautionary measures against static discharges. Do not breathe dust.

When the product is chopped or ground, dust explosion regulations have to be considered. Use closed systems. Provide exhaust ventilation. Do not breathe fumes.

## 7.2. Conditions for safe storage, including any incompatibilities

Protect against moisture. Suitable materials for containers: Polyethylen.

#### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

## 8.1. Control parameters

Components with occupational exposure limits:

The limit values are expected not to be achieved if the product is processed proper and suitable ventilation is provided.

Styrene CAS- Nr. 100-42-5

Exposure limit 86 mg/m³; 20ppm (TRGS 900) Short time exposition (TRGS 900): Cat. II.

Acrylnitrile CAS- Nr. 107-13-1

AGW 7 mg/m³; 3 ppm (Recommendation of Polymer manufacturer)

Substance can be resorbed by the skin.

Butadiene CAS 106-99-0

AGW 11 mg/m³; 5 ppm (Recommendation of Polymer manufacturer)

Seite 3/8 Druckdatum: 24.02.2016

According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015 Date revised: 27.03.2015



## Badalac ABS/PA 320 TM-Z2

## 8.2. Exposure controls

Personal protective equipment:

<u>Respiratory protection:</u> Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection (type P3) if ventilation is inadequate.

<u>Hand protection</u>: Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

<u>General safety and hygiene measures</u>: Do not eat, drink or smoke at work station. Wash hands and uncovered skin after work.

## 9. Physical and Chemical Properties

Form: Granules

**Color:** various, depending on the colourant

Odour: odourless
Odour threshold: not applicable
Melting temperature: approx. 220°C

**Boiling range:** not applicable, product decomposes

Flash point: not applicable Evaporation rate: not applicable Flammability not applicable

Lower explosion limit: not applicable, product decomposes

**Explosion risk:** no risk of explosion

> 300 °C **Decomposition temperature:** > 400 °C Ignition temperature **Self ignition temperature:** no self-igniting Relative density: no data available Relative vapor density: not applicable Vapor pressure: not applicable Viscosity: not applicable Solubility in water: insoluble pH value: not applicable Partitioning coefficient n-octanol/H<sub>2</sub>O not applicable

Viscosity, kinematic: not applicable, the product is a solid

**Density:**  $1.0 - 1.3 \text{ g/cm}^3$  **Bulk density:** approx. 700 kg/m<sup>3</sup>

## 10. Stability and Reactivity

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known if stored and handled as prescribed/indicated.

Seite 4/8 Druckdatum: 24.02.2016

According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015 Date revised: 27.03.2015



## Badalac ABS/PA 320 TM-Z2

## 10.4. Conditions to avoid

Avoid temperatures above decomposition temperature (cf. Section 9). Upon thermal decomposition, e.g. by overheating during processing, or in case of fire, hazardous gases and vapors may be formed. Cf. "hazardous decomposition products".

#### 10.5. Incompatible materials

No substances known that should be avoided.

#### 10.6. Hazardous decomposition products:

Mainly carbon monoxide and nitrogen oxides.

Further hydrocarbons (aliphatic and aromatic), amines, nitriles, aldehydes, ketones, acids, ammonia, hydrogen cyanide,  $\epsilon$ -Caprolactam.

Under special circumstances, traces of other toxic components cannot be excluded. Formation of other decomposition products depends on burning conditions.

# 11. Toxicological Information

#### Acute toxicity:

Contact with molten product may cause thermal burns.

#### Irritation:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

## Contact with eyes:

Eye contact with granules may cause eye irritation.

## Respiratory/Skin sensitization:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Germ cell mutagenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

## Carcinogenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Reproductive toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Specific target organ toxicity (single exposure):

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

## Specific target organ toxicity (repeated exposure):

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

## Aspiration hazard:

No aspiration hazard expected.

Seite 5/8 Druckdatum: 24.02.2016

According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015 Date revised: 27.03.2015



## Badalac ABS/PA 320 TM-Z2

Other relevant toxicity information:

None.

## 12. Ecological Information

#### 12.1. Toxicity

Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms, due to the chemical structure and insolubility in water.

## 12.2. Persistence and degradability

Experience shows this product to be inert in water and non-degradable. The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

## 12.3. Bioaccumulative potential

The product will not be readily bioavailable due to its consistency and insolubility in water.

#### 12.4. Mobility in soil

Study scientifically not justified due to product consistency and insolubility in water.

#### 12.5. Results of PBT and vPvB assessment

The product is not persistent/bioaccumulative/toxic.

## 13. Disposal Considerations

Check for possible recycling. The preparation can be molten and processed several times. Consider sorting accuracy and cleanliness of plastics.

Incinerate in suitable incineration plant, or landfill as consumer waste, observing local authority regulations.

Waste code according to European waste catalogue:

070213 Waste plastic

## Contaminated packaging:

Packs must be completely emptied. Completely emptied packagings can be given for recycling.

## 14. Transport Information

#### Land transport

ADR / RID

Not classified as a dangerous good under transport regulations.

UN number:
UN proper shipping name:
Not applicable
Transport hazard class(es):
Packing group:
Not applicable
Environmental hazards:
Special precautions for user

Not applicable
Not applicable
Not applicable

Seite 6/8 Druckdatum: 24.02.2016

According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015 Date revised: 27.03.2015



## Badalac ABS/PA 320 TM-Z2

## Inland waterway transport

**ADN** 

Not classified as a dangerous good under transport regulations.

UN number:
UN proper shipping name:
Not applicable
Transport hazard class(es):
Packing group:
Not applicable
Environmental hazards:
Special precautions for user
Transport in inland waterway vessel:
Not applicable
None known
Not evaluated

## Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations.

UN number:
UN proper shipping name:
Not applicable
Transport hazard class(es):
Not applicable
Packing group:
Not applicable
Environmental hazards:
Special precautions for user
None known
Transport in inland waterway vessel:
Not applicable
Not evaluated

## Air transport

IATA / ICAO

Not classified as a dangerous good under transport regulations.

UN number:
UN proper shipping name:
Not applicable
Transport hazard class(es):
Packing group:
Not applicable
Environmental hazards:
Special precautions for user

Not applicable
Not applicable
Not applicable

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Ship Type:
Not evaluated
Not evaluated
Not evaluated
Not evaluated
Not evaluated

## 15. Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Product is not classified as hazardous.

## 15.2. Chemical Safety Assessment


Chemical Safety Assessment not required.

Seite 7/8 Druckdatum: 24.02.2016

According to regulation (EC) No. 1907/2006 (REACH)

Date created: 27.03.2015 27.03.2015 Date revised:





Druckdatum: 24.02.2016 Seite 8/8