According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 16.12.2019

 Date revised:
 16.12.2019



## Badalac ABS/PA 320 GF15 FR UV

## 1. Identification of the substance/mixture and of the company 1.1. Product identifier Badalac ABS/PA 320 GF15 FR UV 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: Polymer Recommended use: Polymer, for industrial processing only 1.3. Details of the supplier of the safety data sheet Bada AG E-Mail: info@bada.de Untere Strut 1 D-77815 Bühl/Baden +49 (0) 72 23-940 77-0 (Mo.-Fr. 08:30-16:30 Uhr) Fon: Fax: +49 (0) 72 23-940 77-77 Web: www.bada.de 1.4. Emergency telephone number Giftinformationszentrum-Nord - Tel.: +49 (0) 551-19240 2. **Hazards Identification** 2.1. Classification of the substance or mixture Carcinogenicity Kat. 2 H351: Suspected of causing cancer 2.2. Label elements The product does not require a hazard warning label in accordance with GHS criteria. 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP] No specific dangers known, if the regulations/notes for storage and handling are considered.

### 3. Composition/Information on Ingredients

**3.1. Substances** Not applicable

### 3.2. Mixtures

#### Chemical nature

Preparation based on: AcryInitrile-Butadiene-Styrene copolymer (CAS-No. 9003-56-9), Polyamide 6, flame retardants, additives, optionally colourants

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 16.12.2019

 Date revised:
 16.12.2019



## Badalac ABS/PA 320 GF15 FR UV

<u>Hazardous ingredients:</u> According to 1272/2008/EC

### Antimontrioxid

content (w/w): =>1 % - <= 10% CAS-No. 1309-64-4 EC-No. 215-175-0

Carc. Kat. 2, H351

### 4. First-Aid Measures

### 4.1. Description of first aid measures

Avoid contact with the skin, eyes and clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact with polymer melt:

- a) Cool with water
- b) Do not use force or solvents to remove product incrustations from affected skin areas
- c) Medical treatment necessary

#### On contact with eyes:

If irritation develops, seek medical attention. In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.

On ingestion:

Rinse mouth and then drink plenty of water. If difficulties occur: Seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known. Hazards: No hazard is expected under intended use and appropriate handling

**4.3. Indication of any immediate medical attention and special treatment needed** Treatment: Treat symptomatically

### 5. Fire-Fighting Measures

### 5.1. Extinguishing media

Water spray, foam, dry powder, CO<sub>2</sub>

### 5.2. Special hazards arising from the substance or mixture

Avoid thermal decomposition (decomposition temperature cf. section 9).

On thermal decomposition, caused by overheating during processing or in case of fire, hazardous gases and fumes may develop. Cf. "hazardous decomposition products".

#### Hazardous decomposition products:


Mainly carbon monoxide and nitrogen oxides.

Further hydrocarbons (aliphatic and aromatic), amines, nitriles, aldehydes, ketones, acids, ammonia, hydrogen cyanide, ε-Caprolactam.

Under special circumstances, traces of other toxic components cannot be excluded. Formation of other decomposition products depends on burning conditions.

### 5.3. Advice for fire-fighters

According to regulation (EC) No. 1907/2006 (REACH)





 Date created:
 16.12.2019

 Date revised:
 16.12.2019

## Badalac ABS/PA 320 GF15 FR UV

### Special protective equipment:

Wear a self-contained breathing apparatus, as toxic gases and carbon monoxide may be formed. Wear protective clothing and face protection.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### 6. Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<u>Granules:</u> Special danger of slipping by leaking/spilling product. Take up mechanically <u>Melt:</u> Danger of exothermal decomposition. Cool down using water.

### 6.2. Environmental precautions

No special precautions necessary.

### 6.3. Methods and material for containment and cleaning up

<u>For small amounts</u>: Pick up with suitable appliance and dispose of. <u>For large amounts</u>: Pick up with suitable appliance and dispose of.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

### 7. Handling and Storage

### 7.1. Precautions for safe handling

Take precautionary measures against static discharges. Do not breathe dust. When the product is chopped or ground, dust explosion regulations have to be considered. Use closed systems. Provide exhaust ventilation. Do not breathe fumes.

### 7.2. Conditions for safe storage, including any incompatibilities

Protect against moisture. Suitable materials for containers: Polyethylen.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

### 8. Exposure Controls/Personal Protection

### 8.1. Control parameters

<u>Components with occupational exposure limits:</u> The limit values are expected not to be achieved if the product is processed proper and suitable ventilation is provided.

**Styrene** CAS- Nr. 100-42-5 Exposure limit 86 mg/m<sup>3</sup>; 20ppm (TRGS 900) Short time exposition (TRGS 900): Cat. II.

AcryInitrile CAS- Nr. 107-13-1 AGW 7 mg/m<sup>3</sup>; 3 ppm (Recommendation of Polymer manufacturer) Substance can be resorbed by the skin.

**Butadiene** CAS 106-99-0 AGW 11 mg/m<sup>3</sup>; 5 ppm (Recommendation of Polymer manufacturer)

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 16.12.2019

 Date revised:
 16.12.2019



## Badalac ABS/PA 320 GF15 FR UV

## 8.2. Exposure controls

Personal protective equipment:

<u>Respiratory protection</u>: Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection (type P3) if ventilation is inadequate.

Hand protection: Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eve protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

<u>General safety and hygiene measures</u>: Do not eat, drink or smoke at work station. Wash hands and uncovered skin after work.

### 9. Physical and Chemical Properties

| Form:<br>Color:<br>Odour:<br>Odour threshold:<br>Melting temperature:<br>Boiling range:<br>Flash point:<br>Evaporation rate:<br>Flammability<br>Lower explosion limit:<br>Explosion risk:<br>Decomposition temperature:<br>Ignition temperature :<br>Self ignition temperature:<br>Relative density:<br>Relative vapor density:<br>Vapor pressure:<br>Viscosity:<br>Solubility in water:<br>pH value:<br>Partitioning coefficient n-octanol/H <sub>2</sub> O<br>Viscosity, kinematic:<br>Density:<br>Bulk density: | Granules<br>various, depending on the colourant<br>odourless<br>not applicable<br>approx. 220°C<br>not applicable, product decomposes<br>not applicable<br>not applicable<br>not applicable, product decomposes<br>no risk of explosion<br>> 300 °C<br>> 400 °C<br>no self-igniting<br>no data available<br>not applicable<br>not applicable, the product is a solid<br>1.0 - 1.3 g/cm <sup>3</sup><br>approx. 700 kg/m <sup>3</sup> |
|--|--|
|--|--|

### **10. Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 16.12.2019

 Date revised:
 16.12.2019



## Badalac ABS/PA 320 GF15 FR UV

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if stored and handled as prescribed/indicated.

#### 10.4. Conditions to avoid

Avoid temperatures above decomposition temperature (cf. Section 9). Upon thermal decomposition, e.g. by overheating during processing, or in case of fire, hazardous gases and vapors may be formed. Cf. "hazardous decomposition products".

#### 10.5. Incompatible materials

No substances known that should be avoided.

#### 10.6. Hazardous decomposition products:

Mainly carbon monoxide and nitrogen oxides.

Further hydrocarbons (aliphatic and aromatic), amines, nitriles, aldehydes, ketones, acids, ammonia, hydrogen cyanide, ε-Caprolactam.

Under special circumstances, traces of other toxic components cannot be excluded. Formation of other decomposition products depends on burning conditions.

### **11. Toxicological Information**

Acute toxicity:

Contact with molten product may cause thermal burns.

Irritation:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Contact with eyes:

Eye contact with granules may cause eye irritation.

#### Respiratory/Skin sensitization:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Germ cell mutagenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

### Carcinogenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

### Reproductive toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Specific target organ toxicity (single exposure):

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Specific target organ toxicity (repeated exposure):

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 16.12.2019

 Date revised:
 16.12.2019



## Badalac ABS/PA 320 GF15 FR UV

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Aspiration hazard: No aspiration hazard expected.

Other relevant toxicity information: None.

### **12. Ecological Information**

#### 12.1. Toxicity

Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms, due to the chemical structure and insolubility in water.

#### 12.2. Persistence and degradability

Experience shows this product to be inert in water and non-degradable. The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

#### 12.3. Bioaccumulative potential

The product will not be readily bioavailable due to its consistency and insolubility in water.

### 12.4. Mobility in soil

Study scientifically not justified due to product consistency and insolubility in water.

#### 12.5. Results of PBT and vPvB assessment

The product is not persistent/bioaccumulative/toxic.

### 13. Disposal Considerations

Check for possible recycling. The preparation can be molten and processed several times. Consider sorting accuracy and cleanliness of plastics.

Incinerate in suitable incineration plant, or landfill as consumer waste, observing local authority regulations.

# Waste code according to European waste catalogue: 070213 Waste plastic

<u>Contaminated packaging:</u> Packs must be completely emptied. Completely emptied packagings can be given for recycling.

### 14. Transport Information

#### Land transport

ADR / RID Not classified as a dangerous good under transport regulations.

| UN number:                   | Not applicable |
|------------------------------|----------------|
| UN proper shipping name:     | Not applicable |
| Transport hazard class(es):  | Not applicable |
| Packing group:               | Not applicable |
| Environmental hazards:       | Not applicable |
| Special precautions for user | None known     |

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 16.12.2019

 Date revised:
 16.12.2019



## Badalac ABS/PA 320 GF15 FR UV

#### Inland waterway transport ADN

Not classified as a dangerous good under transport regulations.

| UN number:                           |
|--------------------------------------|
| UN proper shipping name:             |
| Transport hazard class(es):          |
| Packing group:                       |
| Environmental hazards:               |
| Special precautions for user         |
| Transport in inland waterway vessel: |
|                                      |

Not applicable Not applicable Not applicable Not applicable None known Not evaluated

### Sea transport

IMDG Not classified as a dangerous good under transport regulations.

UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user Transport in inland waterway vessel: Not applicable Not applicable Not applicable Not applicable Not applicable None known Not evaluated

### Air transport

IATA / ICAO Not classified as a dangerous good under transport regulations.

UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user Not applicable Not applicable Not applicable Not applicable Not applicable None known

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation: Shipment approved: Pollution name: Pollution category: Ship Type: Not evaluated Not evaluated Not evaluated Not evaluated Not evaluated

### 15. Regulatory Information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** Product is not classified as hazardous.

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required.

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 16.12.2019

 Date revised:
 16.12.2019



## Badalac ABS/PA 320 GF15 FR UV

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

H351: Suspected of causing cancer

### **16. Other Information**

The preparation must not be used to produce medical parts which are intended as a permanent implant in the human body.

The information in this material safety data sheet have been compiled carefully and represent the state of our knowledge at the issue date. They are intended to give advice for the save and proper handling, transport, storage and disposal of the product to the industrial or commercial user. The information is not transferable to other products. The information does not guarantee certain product properties.

Recipients to our products must take responsibility for observing existing laws and regulations.