According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015



Badamid PA12 M20 FR V5

1. Identification of the substance/mixture and of the company

1.1. Product identifier

Badamid PA12 M20 FR V5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Polymer

Recommended use: Polymer, for industrial processing only

1.3. Details of the supplier of the safety data sheet

Bada AG E-Mail: info@bada.de Untere Strut 1 D-77815 Bühl/Baden

Fon: +49 (0) 72 23-940 77-0 (Mo.-Fr. 08:30-16:30 Uhr) Fax: +49 (0) 72 23-940 77-77 Web: www.bada.de

1.4. Emergency telephone number

Giftinformationszentrum-Nord - Tel.: +49 (0) 551-19240

2. Hazards Identification

2.1. Classification of the substance or mixture Carcinogenicity Kat. 2 H351: Suspected of causing cancer

2.2. Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Applicable for coloured mixtures (in particular for bright colours & white): Labelling of mixtures (in accordance with GHS) EUH210: Safety data sheet available on request. EUH212: Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. Titanium dioxide Affected containers are labelled separately.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP] No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients

3.1. Substances Not applicable

3.2. Mixtures

Chemical nature

Preparation based on: polyamide (PA 12), filler, flame retardant, synergists, additives, optionally pigments

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015

Bada

Badamid PA12 M20 FR V5

<u>Hazardous ingredients:</u> According to 1272/2008/EC

Antimony trioxide content (w/w): =>1 % - <= 10% CAS-No. 1309-64-4 EC-No. 215-175-0

Carc. Kat. 2, H351

Applicable for coloured mixtures (in particular for bright colours & white):

Titanium dioxide Loading (W/W): >= 1 % - <= 10 % CAS-No: 13463-67-7 EG-No: 236-675-5 REACH Reg. Number: 01-2119489379-17

Affected containers are labelled separately.

4. First-Aid Measures

4.1. Description of first aid measures

Avoid contact with the skin, eyes and clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact with polymer melt:

a) Cool with water

- b) Do not use force or solvents to remove product incrustations from affected skin areas
- c) Medical treatment necessary

On contact with eyes:

If irritation develops, seek medical attention. In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water.

On ingestion:

Rinse mouth and then drink plenty of water. If difficulties occur: Seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known. Hazards: No hazard is expected under intended use and appropriate handling

4.3. Indication of any immediate medical attention and special treatment needed Treatment: Treat symptomatically

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015



Badamid PA12 M20 FR V5

5. Fire-Fighting Measures

5.1. Extinguishing media

Water spray, foam, dry powder, CO2

5.2. Special hazards arising from the substance or mixture

Avoid thermal decomposition (decomposition temperature cf. section 9). On thermal decomposition, caused by overheating during processing or in case of fire, hazardous gases and fumes may develop. Cf. "hazardous decomposition products".

Hazardous decomposition products:

Mainly carbon monoxide and nitrogen oxides.

Further hydrocarbons (aliphatic and aromatic), amines, nitriles, aldehydes, ketones, acids, ammonia, hydrogen cyanide, ε-Caprolactam, cyclopentanone, antimony salts, hydrogen bromide. Under special circumstances, traces of other toxic components cannot be excluded. Formation of other decomposition products depends on burning conditions.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus, as toxic gases and carbon monoxide may be formed. Wear protective clothing and face protection.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

<u>Granules:</u> Special danger of slipping by leaking/spilling product. Take up mechanically <u>Schmelze:</u> Danger of exothermal decomposition. Cool down using water.

6.2. Environmental precautions

No special precautions necessary.

6.3. Methods and material for containment and cleaning up

<u>For small amounts</u>: Pick up with suitable appliance and dispose of. <u>For large amounts</u>: Pick up with suitable appliance and dispose of.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

7.1. Precautions for safe handling

Take precautionary measures against static discharges. Do not breathe dust. When the product is chopped or ground, dust explosion regulations have to be considered. Use closed systems. Provide exhaust ventilation. Do not breathe fumes.

7.2. Conditions for safe storage, including any incompatibilities

Protect against moisture. Suitable materials for containers: Polyethylen.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015



Badamid PA12 M20 FR V5

8		onal Protection	
	8.1. Control parameters		
<u>(</u>	Components with occupationa	al exposure limits:	
I	No known occupational expos	sure limits due to the mixture.	
-	The general dust threshold lim	nit value has to be assured during processing.	
I	Dust, respirable fraction		
		N 1.25 mg/m3 (TRGS 900 (DE)), respirable fraction	
		nponent according to the general dust threshold limit value GS 900, No. 2.4 & 2.5).	
I	Dust, inhalable fraction (total o		
		V 10 mg/m3 (TRGS 900 (DE)), inhalable fraction	
		k limitation / excursion factor: 2	
		rt-term exposure classification: (TRGS 900 (DE)), inhalable fraction egory II: Resorptive substances	
	Cale		
ſ	8.2. Exposure controls		
	Personal protective equipmen	<u>t:</u>	
ł	Respiratory protection: Breath	ing protection if breathable aerosols/dust are formed. Wear respiratory	
	protection (type P3) if ventilati		
		al heat protection gloves when handling hot molten masses (EN 407), e.g.	
	textile or leather.		
Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)			
(General safety and hygiene m uncovered skin after work.	neasures: Do not eat, drink or smoke at work station. Wash hands and	
<u>(</u>	uncovered skin after work.	neasures: Do not eat, drink or smoke at work station. Wash hands and	
<u>(</u>		neasures: Do not eat, drink or smoke at work station. Wash hands and	
<u>(</u> 1	uncovered skin after work.	neasures: Do not eat, drink or smoke at work station. Wash hands and	
(l	uncovered skin after work. Physical and Chemical I Form: Color:	Properties Granules various, depending on the colourant	
((P	uncovered skin after work. Physical and Chemical I Form: Color: Odour:	Properties Granules various, depending on the colourant odourless	
(() () ()	uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour: Odour threshold:	Properties Granules various, depending on the colourant odourless not applicable	
((() () () () () () () () ()	uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour: Melting temperature:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C	
((() () () () () () () () ()	uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour: Melting temperature: Boiling range:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes	
() () () () () () () () () () () () () (uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour: Melting temperature: Boiling range: Flash point:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable	
() () () () () () () () () () () () () (uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable	
(() () () () () () () () () (uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable not applicable not applicable	
((() () () () () () () () ()	uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable not applicable not applicable not applicable not applicable not applicable not applicable	
(((((((((((((((((((uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit: Explosion risk:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable	
() () () () () () () () () () () () () (uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit: Explosion risk: Decomposition temperature	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable	
	Ancovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit: Explosion risk: Decomposition temperature Ignition temperature :	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable	
	Ancovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit: Explosion risk: Decomposition temperature Ignition temperature : Self ignition temperature:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable not applicable not applicable not applicable not applicable not applicable, product decomposes no risk of explosion e:	
	Uncovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit: Explosion risk: Decomposition temperature Ignition temperature : Self ignition temperature: Relative density:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable	
• • • • • • • • • • • • • • • • • • •	And the second skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit: Explosion risk: Decomposition temperature Ignition temperature : Self ignition temperature: Relative density: Relative vapor density:	eeasures: Do not eat, drink or smoke at work station. Wash hands and Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not available no data available not applicable	
	Ancovered skin after work. Physical and Chemical I Form: Color: Odour: Odour threshold: Melting temperature: Boiling range: Flash point: Evaporation rate: Flammability Lower explosion limit: Explosion risk: Decomposition temperature Ignition temperature : Self ignition temperature: Relative density:	Properties Granules various, depending on the colourant odourless not applicable approx. 170 - 180 °C not applicable, product decomposes not applicable not applicable	

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015



Badamid PA12 M20 FR V5

pH value:not applicablePartitioning coefficient n-octanol/H2Onot applicableViscosity, kinematic:not applicableDensity:1.00 - 1.60 g/dBulk density:approx. 700 kg

not applicable not applicable not applicable, the product is a solid 1.00 – 1.60 g/cm³ approx. 700 kg/m³

10. Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions known if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

Avoid temperatures above decomposition temperature (cf. Section 9). Upon thermal decomposition, e.g. by overheating during processing, or in case of fire, hazardous gases and vapors may be formed. Cf. "hazardous decomposition products".

10.5. Incompatible materials

No substances known that should be avoided.

10.6. Hazardous decomposition products:

Mainly carbon monoxide and nitrogen oxides.

Further hydrocarbons (aliphatic and aromatic), amines, nitriles, aldehydes, ketones, acids, ammonia, hydrogen cyanide, ε-Caprolactam, cyclopentanone, antimony salts, hydrogen bromide.

Under special circumstances, traces of other toxic components cannot be excluded. Formation of other decomposition products depends on burning conditions.

11. Toxicological Information

Acute toxicity:

Contact with molten product may cause thermal burns.

Irritation:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Contact with eyes:

Eye contact with granules may cause eye irritation.

Respiratory/Skin sensitization:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Germ cell mutagenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015



Badamid PA12 M20 FR V5

Carcinogenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Reproductive toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Specific target organ toxicity (single exposure):

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Specific target organ toxicity (repeated exposure):

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

<u>Aspiration hazard:</u> No aspiration hazard expected.

<u>Other relevant toxicity information:</u> None.

12. Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms, due to the chemical structure and insolubility in water.

12.2. Persistence and degradability

Experience shows this product to be inert in water and non-degradable. The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

12.3. Bioaccumulative potential

The product will not be readily bioavailable due to its consistency and insolubility in water.

12.4. Mobility in soil

Study scientifically not justified due to product consistency and insolubility in water.

12.5. Results of PBT and vPvB assessment

The product is not persistent/bioaccumulative/toxic.

13. Disposal Considerations

Check for possible recycling. The preparation can be molten and processed several times. Consider sorting accuracy and cleanliness of plastics.

Incinerate in suitable incineration plant, or landfill as consumer waste, observing local authority regulations.

Waste code according to European waste catalogue:

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015



Badamid PA12 M20 FR V5

070213 Waste plastic

Contaminated packaging:

Packs must be completely emptied. Completely emptied packagings can be given for recycling.

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

None known

14. Transport Information

Land transport

ADR / RID Not classified as a dangerous good under transport regulations.

UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations.

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known
Transport in inland waterway vessel:	Not evaluated

Sea transport

IMDG .

Not classified as a dangerous good under transport regulations.

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known
Transport in inland waterway vessel:	Not evaluated

Air transport

IATA / ICAO

Not classified as a dangerous good under transport regulations.

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated

According to regulation (EC) No. 1907/2006 (REACH)

 Date created:
 27.03.2015

 Date revised:
 27.03.2015



Badamid PA12 M20 FR V5

Pollution name: Pollution category: Ship Type: Not evaluated Not evaluated Not evaluated

15. Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Product is not classified as hazardous.

15.2. Chemical Safety Assessment

Chemical Safety Assessment not required.

16. Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

H351: Suspected of causing cancer

The preparation must not be used to produce medical parts which are intended as a permanent implant in the human body.

The information in this material safety data sheet have been compiled carefully and represent the state of our knowledge at the issue date. They are intended to give advice for the save and proper handling, transport, storage and disposal of the product to the industrial or commercial user. The information is not transferable to other products. The information does not guarantee certain product properties.

Recipients to our products must take responsibility for observing existing laws and regulations.